

Domotique

- [ISY994i](#)
- [Garage](#)

ISY994i

ISY994i appliance

Configuration

Execute java app on Linux

```
# Check Java status
archlinux-java status
# Install Java 17 (last security manager compatibility)
sudo pacman -S jre17-openjdk-headless jre17-openjdk
# Set default environment to Java 17
sudo archlinux-java set java-17-openjdk
# Install icedtea-web to open Java Web App
sudo pacman -S icedtea-web
```

Configure ISY device

Device URL for ISY Finder : <http://192.168.66.61/desc>

PLM Repair

<http://forum.universal-devices.com/topic/13866-repair-of-2413s-plm-when-the-power-supply-fails/page-1>

http://wiki.universal-devices.com/index.php?title=ISY-99i/ISY-26_INSTEON:File_Menu#Replace_Modem_.28PLM.29

[PLM Repair.pdf](#)

Garage

Sensor

- BNYZWOT MC-38 Surface Mount Wired NC Door Sensor Alarm Magnetic Reed Switch White 10 Pair

Product Name: Magnetic Door Switch ;Model: MC-38;Package Content: 20 x Magnetic Door Switch, Some Install Parts;Normally closed: the magnet is close to conducting, and the magnet is open when leaving Contact Type: NC (Normally Closed) ;Actuation Distance: 18mm ± 6mm; Max. Current: 0.5A ;Max. Power: 10W; Working Voltage: DC0-100V

- 12V AC adapter
- Electrical thin wire